CLAIMS:

5

20

25

1.	A method of displaying information in cells of a grid electronic progran
guide,	the method comprising the steps of:

storing a banner with the information for each cell of the grid electronic program guide;

selecting at least one cell; and

rotating the banner in each cell in the at least one selected cell to display the banner a predetermined number of times.

- 2. The method as claimed in claim 1, wherein the banner for each cell is an animated GIF file.
 - 3. The method according to claim 1, wherein the at least one cell is a column of cells.
- 15 4. The method according to claim 1, wherein the at least one cell is a row of cells.
 - 5. The method according to claim 3, wherein the column of cells closest to the current time is selected.
 - 6. The method according to claim 5, further comprising the step of:
 selecting successive columns of cells, starting with the column representing a
 second closest to the current time and rotating the banners in the selected column of cells a
 predetermined period of time.
 - 7. The method according to claim 1, wherein the at least one cell is selected by the user.

PCT/IB2003/002739

- 8. The method according to claim 7, wherein the user selects the at least one cell by using a pointing device.
- 9. The method according to claim 1, further comprising the step of:
 5 jittering the rotation speed of some banners to make the banners more difficult to read.
 - 10. An apparatus for displaying information in cells of a grid electronic program guide, the apparatus comprising:
- means for storing a banner with the information for each cell of the grid electronic program guide;

means for selecting at least one cell; and

means for rotating the banner in each cell in the at least one selected cell to display the banner a predetermined number of times.

15

WO 2004/004324

- 11. The apparatus according to claim 10, wherein the banner for each cell is an animated GIF file.
- 12. The apparatus according to claim 10, wherein the at least one cell is a column 20 of cells.
 - 13. The apparatus according to claim 10, wherein the at least one cell is a row of cells.
- 25 14. The apparatus according to claim 12, wherein the column of cells closest to the current time is selected.
- The apparatus according to claim 14, further comprising:

 means for selecting successive columns of cells, starting with the column
 representing a second closest to the current time and rotating the banners in the selected column of cells a predetermined period of time.
 - 16. The apparatus according to claim 10, wherein the at least one cell is selected by the user.

WO 2004/004324 PCT/IB2003/002739

17. The apparatus according to claim 16, wherein the user selects the at least one

9

5 18. The apparatus according to claim 10, further comprising:

means for jittering the rotation speed of some banners to make the banners

more difficult to read.

cell by using a pointing device.

19. A computer program product enabling a programmable device, when
executing said computer program product, to function as an apparatus as defined in any one
of claims 10 to 18.